

### SUPERFUND FACT SHEET YORK COUNTY SOLID WASTE & REFUSE AUTHORITY LANDFILL YORK COUNTY, PENNSYLVANIA JULY 1994

United States Environmental Protection Agency Region III 841 Chestnut Street Philadelphia PA 19107

#### Introduction

# Site Background

The United States Environmental Protection Agency (EPA) recently concluded a Remedial Investigation (RI) and Feasibility Study (FS) for the York County Solid Waste and Refuse Authority Landfill Superfund Site. The RI defines the nature and extent of the site contamination. It includes a Risk Assessment. which describes risks to human health and the environment posed by site contamination. The FS reviews site cleanup alternatives. Based on the RI/FS, EPA has issued a Proposed Plan to describe all the possible alternatives to clean up groundwater contamination at the site. The plan also presents EPA's "Preferred Alternative", and the rationale for selecting the alternative. EPA is inviting the public to comment on the clean up alternatives for the York County Solid Waste Landfill Superfund Site from July 21, 1994 - August 21, 1994. A public meeting will be held at 7 p.m., Monday, August 15, 1994 at the Eureka Fire Company to address public comment and concern. The EPA will select a final remedy for the site only after the public comment period has ended, and the information submitted is reviewed and considered.

Figures Your Opinions
Assemble
Finally (St. 1984) Tiblis
Finally (St. 1984) Tiblis
Finally (Figures)
Standard (Figures)

The York County Solid Waste Landfill is located in Hopewell Township, York County. It has been owned and operated by the York County Solid Waste and Refuse Authority (YCSWRA) since 1974. The site occupies approximately 300 acres and contains both active and inactive portions. About 135 of the 300 acres were used as an unlined landfill that accepted municipal and industrial waste. The landfill accepted approximately 400 tons of waste each day.

From 1982-84, the Pennsylvania Department of Environmental Resources (PADER) identified Volatile Organic Compounds (VOC's) migrating from the site, and into residential wells near the site. PADER ordered YCSWRA to construct a lined facility at the site, to begin a groundwater monitoring and treatment program at the site, and to provide bottled water to affected residents. In 1985, YCSWRA installed additional groundwater monitoring wells. At this time, construction of the lined cells and the groundwater contamination/extraction and treatment system was completed and in operation.

In April 1985, EPA proposed the site for the National Priorities List (NPL). The site was placed on the list in July 1987. This gave the EPA the authority under Superfund to take the actions necessary to clean up the contamination. In December 1987, PADER and YCSWRA signed a Consent Order and Agreement for YCSWRA to perform an RI/FS at the site.

## **Summary of Remedial Alternatives:**

- 1. No Action: The current actions that YCSWRA is performing to contain, collect, and treat the contaminated groundwater would stop. The existing landfill cap covering portions of three unlined cells would remain. The passive landfill gas venting system would remain, but the monitoring of its effectiveness would stop. Residents would also stop receiving bottled water from YCSWRA.
- **2A. Existing Treatment Scheme** The current actions that YCSWRA is performing would continue. The groundwater containment, collection, and treatment system would remain in operation. If necessary, additional pumping wells will be added, and the monitoring program may be modified to PADER's standards. The cap over the three unlined cell and the passive gas venting system would continue to be maintained. The filtration system would also continue to be maintained as necessary.
- 2B. Existing Treatment Scheme with Inorganics Removal by Reverse Osmosis: This alternative contains all of the components of Alternative 2A, along with the addition of removal of inorganics through reverse osmosis. This process reduces the concentration of the contaminants through flowing from a high solvent concentration to a low solvent concentration. A waste stream is generated containing high concentrations of heavy metals that would be properly disposed of.
- **2C.** Existing Treatment Scheme with Inorganics Removal by Microfiltration: This alternative combines all the elements of Alternative 2A along with inorganics removal by microfiltration. This process physically removes Inorganics from the water through adjusting the pH balance of the groundwater. A waste stream is generated that would be properly disposed of.
- 2D. Existing Treatment Scheme with Inorganics Removal by Electrochemical Precipitation: Inorganics would be removed through Electrochemical Precipitation in addition to all of the components of Alternative 2A comprises this alternative. This process uses an electrical current to destabilize the particles, and precipitate from the ground. A waste stream is generated that would be disposed of properly.
- **3A. Existing Treatment Scheme with Capping:** This alternative combines Alternative 2A with the installation of a multilayer cap over the three unlined cell, and the maintenance of the cap. The cap would control the migration of the contaminants.
  - 3B. Existing Treatment Scheme (Inorganics Removal using Reverse Osmosis) with Capping.
  - 3C. Existing Treatment Scheme (Inorganics Removal using Microfiltration) with Capping.
  - 3D. Existing Treatment Scheme (Inorganics Removal by Electrochemical Precipitation) with Capping.

Alternatives cont.

4A. Existing Treatment Scheme with Enhanced Biodegradation: This alternative contains all of the elements of Alternative 2A with the addition of Enhanced Biodegradation. The existing groundwater system would be used with additional equipment to re-infiltrate the extracted groundwater. A distribution and re-infiltration system along with the installation of an equalization capacity for storage of the treated water to act as a buffer for the reinfiltration system would be used.

4B. Existing Treatment Scheme (Inorganics Removal by Reverse Osmosis) with Enhanced Biodegradation.

4C. Existing Treatment Scheme (Inorganics Removal by Microfiltration) with Enhanced Biodegradation.

4D. Existing Treatment Scheme (Inorganics Removal by Electrochemical Precipitation) with Enhanced Biodegradation.

#### **EPA's Preferred Alternative**

EPA believes that Existing Treatment Scheme (2A) is the best alternative at the York County Solid Waste Landfill Superfund Site. This alternative is already in action, and is performing effectively. Alternative 2A adequetly protects human health and the environment through controlling groundwater contamination. The current operating groundwater treatment system is working efficiently. This system may require the addition of equipment to meet water quality standards. This installation may be easily implemented. The existing landfill cap will remain in place, and will continue to contain the contaminants. EPA will continue to maintain the filtration system to residents as necessary.

ા<u> સામાના છે. તેના સ્પન્ના સ્પન્</u> in erretele in erellig erfore fiele. The state of the s ः (क्रिनातानीकार(स्टाप्पानिस्**स्यानीका** O SEIGHEWERING Esplication & indicatem aireilveness Simple Comment of the straining of the s हारे विश्वविद्यात्वार विश्वविद्याले विश्वविद्या Arstoring on Volumers of Mers Collifornille Foldie Ferensial like of Herralis in Contra MICHARITANCE: िल्डा द्वारी होती स्थापन कर है। असार राजनागासामा का विकास Michaeline William Charles of the Control of th of fore least entry .

Public Comment Period
Open From
July 21-August 21, 1994
Send in Your
Comments and Questions
on the Proposed Plan
For the
York County Landfill
Superfund Site

AR500024

### **For More Information**

eriagenale, tere Maleife affeitelifeigs.

ANTOTOTICAL CONTRACTOR OF A CONTRACT OF A PROPERTY OF A PROPERTY OF A CONTRACT OF A CO

ESAMERIC MAIN MAINTEN

THE PROPERTY OF THE PROPERTY O

્રજુગામાં કરાલે ક

·为好的信, 使用extre (保持制度)(4)

वामाला जनान

िक्किक्षेत्र स्वति के विकास के अपने देश करें हैं। कि को सार्व के कि स्वति के अपने के अपने के कि कि है। कि का अ

# tale | Fale !!

Life Garage berteit Gerten Gantlebeiten

EMPTREES CALCADO ARTON 1870 - 18 NORTH -

MERCHAGO CONTRACTOR OF THE TANKEN

ाक्ष्मकरूपा विभाग वर्ष कर विभाग वर्ष कर विभाग विभाग

**#1614** (10 - 100 (11 € 10)

· Constitution of the contract of the contraction o

Africallesso H.

The state of the s

The standard at the State

TERRESONAL PROPERTY OF THE PROPERTY AND A SECTION OF THE PROPERTY OF THE PROPE

Approximate the control of the contr

A(t) and A(t) is the second constant A(t) and A(t) in A(t) and A(t) is the A(t)

And the second second

- and intermediation of the organism of the conference of the form of the conference of the conference

Control of the Control of the Control of the Control of Control of

From Middle

CALCANIATES RIGHTS NOTES (1987)



United States
Environmental Protection Agency
Region III
841 Chestnut Building
Philadelphia, PA 19107